

This January 14, 2022 revision deprecates all previous versions of this document.
See also additional note at the end.

ABOUT THE EnerGenius Favorites COLLECTION

[<https://archive.org/details/fav-energenius>]

This collection was set up as a workaround to provide easy and direct access to the series of presentations about Donald Lee Smith's Energy Capture technology – originally created and uploaded (to a different site, now “extinct”) by the Uncle Don Memorial Team (UDMT) – at a time when the files became de-linked from their intended home-repository on archive.org: <https://archive.org/details/@energenius>. That issue **has now been resolved**, so only this file is retained in the favorites collection, for purposes of re-direction.

Smith's technology is proof palpable that – as of the late 20th Century – it is **VERY SIMPLE** to obtain ENERGY from the Ambient (i.e., all around us),

WITHOUT having to PAY any MONEY for it,
WITHOUT any harmful ENVIRONMENTAL impact, and
WITHOUT any limitation as to QUANTITY.

This, in turn, means that the ENTIRE "Energy Crisis", and / or "Environmental Crisis" is, at best, a matter for the history books, NOT an "emergency" threatening to drive humanity to extinction.

If anything, what inhibits progress – leading, quite lawfully, to humanity's cultural decay and, eventually, extinction – is the IGNORANT or ILL-INTENDED insistence on pushing false "solutions" to a crisis that, in the most charitable interpretation, no longer exists (assuming it ever did exist, let alone in the apocalyptic terms that some are adamantly determined to impose on the rest of us as "a fact").

Smith showed that electromagnetic energy is the most widely available – and, quite likely, the most basic – form of energy in the Universe.

He also showed

[https://www.youtube.com/watch?feature=player_detailpage&v=pjMkfRiLA6E#t=704]

how easy it is to "tap" this boundless source. All that's left to do is to conduct the "harvested" energy to wherever it's needed to drive a device. (For more on this, see **description text** on the webpages of files Ambient Energy Generator 1.1 and 2.1).

To round things up, Smith took note of – and skillfully exploited – a basic observation of Nikola Tesla's; namely the important difference between ENERGY and POWER. These two words are frequently employed interchangeably, which is most incorrect, and lays the groundwork for all manner of false notions of "scarcity".


Energy itself is incalculably abundant, and (as of the late 20th Century) easily accessible to properly educated human beings in a reasonably developed industrial society; one that has mastered electronics and materials science.

In addition, power and energy are NOT linearly correlated. Obtaining more power does NOT require more energy. This is so because power equals energy per unit time. Which means that shortening the time taken to deliver a given amount of energy "automatically" increases the power that the transfer conveys.

Just two slides in the very last of the presentations (Uncle NIK 163) will show anyone with a basic understanding of electricity / electronics exactly how SIMPLE it is to draw energy from the ambient, then turn it into power to drive a device.

Drive ONE device, drive ANY NUMBER of devices. As the laundry detergent ads used to put it: RINSE and REPEAT. Build as many Smith "energy capture" circuits as you have devices to power. One for one. No wiring. No grid. No complication.

Smith's Device 5, better known as "the Coke Machine Device" (pictured below),




is emblematic of his work on at least two levels: it plainly exemplifies the one-for-one approach, and – unlike any other of his prototypes – it provides a traceable link to an eminently reasonable real-life application; namely, that of vending machines



in Japan: the ultimate vending machine market in the world, where some twenty million of the automated dispensers serve a population of about 115 million. In the video linked above, Smith describes the gentlemen in the picture – likely taken at his home in the late '80s or early '90s – as the CEO of a large shipbuilding company (left) and, on the right, a fellow whose family owned a large number of vending machines.

The massive spherical capacitor that Planet Earth is provides you with a ready "source" to draw energy from, on the spot and on demand. It also provides you with a "waste disposal bin" (commonly known as "ground") into which you can "dump" the energy once it's done powering your device. (In fact, electric energy will VERY QUICKLY seek a path to ground all on its own if you leave it "lying around, unattended").

In sum: scarcity / finiteness – with regard to "resources", energy, power, and / or the Universe – is a HOAX. Reality is ABUNDANCE. Readily accessible KNOWLEDGE (contained in these files, among other places) is the key.



First in a series of 6 presentations. 150+ slides.
3 sections: Historical Overview, Theory, and Hands On.
"Everything you always wanted to know" about Don Smith and his work, in one tightly packed slideshow.

<https://archive.org/details/Energy-Capture-101>



Second in a series of 6 presentations. 21 slides.
Shows that Smith's "Ambient Energy Generator" is a much simplified version of one of his best-known circuits, and that it performs, in effect, as a Universal Energy Intake Valve.

<https://archive.org/details/ENERGY-Is-FREE-LikeTheAIRYouBreathe>

Is it
KILLER APP
 TIME
 in
Smith-Tech Land?

Some appear to think it is, and they've set themselves a challenge that they're willing to share with anyone fully and properly qualified to safely handle electrical equipment.

In the mood for some mind-jogging?
 By all means, challenge yourself, and...
 Have fun!

Third in a series of 6 presentations. 14 slides.
 Postulates that ALL of Smith's devices are versions or variants of his "Ambient Energy Generator".
 Challenges the viewer to design and build a device no larger than 1 liter in volume, capable of delivering a continuous output of 1 Kw.

<https://archive.org/details/The-K4K-POWER-CHALLENGE>



Who was this
Donald Lee,
 the man who set power free?

And, what was the "method to his madness",
 so to speak?

Fourth in a series of 6 presentations. 26 slides.

Reviews key aspects in previous files, adds a more detailed explanation of Smith's outlook on "ground".

Provides a glimpse into the inventor's solid state line of power delivery devices

<https://archive.org/details/WhoWasThisDonaldLee-TheManWhoSetPowerFREE>



Forward through the Past ?
Uncle Don Smiles Again !

Two valuable items related to Don Smith and his work have been released on the Tube, mid-June 2018; namely, his 1994 and 1995 presentations, believed to be at the Extraordinary Technology Conferences.

1994 – https://www.youtube.com/watch?v=Oc_8U4hGtyE
 1995 – <https://www.youtube.com/watch?v=vwVTDctXyos>


First impressions from the Team on what they show, & how it "fits in" with what had been available previously.

Fifth in a series of 6 presentations.

24 slides. A first-impressions review of long-unavailable recordings showing Smith's two earliest known seminars, in 1994 and 1995.

Numerous observations and confirmations of analyses put forward in slideshows 1 through 4.

<https://archive.org/details/Uncle-Don-Smiles-Again>



In celebration of
 good ol'
Uncle Nik's
 163rd
 Birthday Anniversary
 July 10th, 2019

Image credit:
<https://teslauniverse.com/sites/default/files/styles/feature/public/images/38.jpg?itok=1nKaU5dH>

Sixth and final installment in the series.

An extremely brief,
 entirely unforeseen contribution by UDMT,
 in celebration of

Uncle Nik's
 163rd Birthday Anniversary
 July 10th, 2019.

<https://archive.org/details/unclenik163>

Supporting Materials

Original documents produced and distributed by Smith.


E-mails exchanged, with instructions on how to modify one of his best known circuits.

One other relevant document, by Lars Persson.

Note that important additional information is presented in the description text on the webpages holding each of these documents.

Abundant Energy Every
Where Present

USERS GUIDE



Sheet 1 of 2 handouts distributed by Smith to attendees at his seminar during the 2005 Inventors' Weekend.

Shows the essential core of his "Ambient Energy Generator" in bare bones schematic form.

"Decyphering" the complementary text in the second sheet is a requirement to understand the complete design, which includes various indispensable diodes and an output transformer.

[As shown in presentation 2 above (Energy is FREE...), Smith attempted to convey much of that crucial information to Bruce Perreault in their 2004 e-mail exchange.]

https://archive.org/details/AmbientEnergyGenerator11_201905

CAPACITOR [A] WITH A PREDETERMINED VOLTAGE PLACED UPON IT, CAUSES CAPACITOR [E] TO DUPLICATE FROM THE AMBIENT - EARTH GROUNDING THE ENERGY PRESENT AT [A] WITH AN INPUT DIODE PLACED [C] AND AN OUTPUT DIODE PLACED AT [B] THE ENERGY PRESENT ON [E] FLOWS THROUGH THE AMBIENT - EARTH GROUNDING. USEFUL ENERGY IS OBTAINED FROM THE TRANSFORMER.
DONALD L. SMITH, 14 FEBRUARY, 2004.

CAPACITOR FUNCTIONS

Two main types being regular and electrolytic. Also Super Capacitor versions .

A Capacitor is a blocking device , the charge is placed on one side only The other side pulls and equal amount of Energy from the Ambient Background . The Capacitor is an Energy Pump . This second side always receives energy . It's not moving . It's not working even tho there is an energy is passing through the outlet . The theory of this is that when used with a diode and a diode bridge which are one way devices You have an Energy Pump with unlimited output is present . The second side feeds from the Ambient . By arranging the diodes You can get negative or positive output . Positive output will die a heat death and the negative will run cool . The only limit on the output is the capacitor size New shoe box sized super capacitors as single units greater than 400 Farads has 400,000. Watts of energy storage .

The Device does not deplete if only the output side is used . Since this action has not been named , I get to name it . I herewith name it the [DSE] DON SMITH EFFECT .

Further it is visually observed if only one leg of a light emitting diode is attached to the output side capacitor plate . The main output side should be diode passing through to the point of use or load . Another phenom is observable , namely a cooling effect as seen in the heat exchange modules

AMBIENT ENERGY GENERATOR [AEG - DLS]

My initials = DLS

ADVANTAGES OF THE GENERATOR

1. Simple to build with long trouble free life .
2. Few parts and all are easily available .
3. Moron level of comprehension required .
4. Once installed Energy is Cost Free .
5. The energy source is universally present .
6. Full fills any and all energy requirements . Automobiles and Airplanes are a couple of examples .

Sheet 2 of 2 handouts distributed by Smith to attendees at his seminar during the 2005 Inventors' Weekend.

Typewritten text in jpeg format (i.e., it's an image, not text as such, so it's not editable, nor can it be processed by an automatic translator without first transcribing it).

A literal transcript, plus a second one, with corrections, are included in presentation 2 above (Energy is FREE – Like The AIR that you Breathe).

https://archive.org/details/AmbientEnergyGenerator21_201905

Brace,

A short summary of the tunneling - Four separate units - all identical. 12 Volt is put into 2000 Watt module through 12,000 Volt diode bridge into heavy duty op-amp. Positive diode bridge connects to +, with negative capacitor open - units have no ground connection. The negative diode bridge connects to the negative capacitor. With a proper hook-up it accesses an endless energy source.

TD
03-14-2004

Brace,

The Device in question is the same one I demonstrated at the Tesla convention 3 years ago that caused quite a racket. It is a 12,000 Volt diode bridge connected to a 12 Volt power source. However, the main diode bridge requires voltage from the output capacitor bank. Then hook the disconnected negative capacitor to a sep. 12 Volt source. The 12,000 Volt diode bridge then connects to the 12 Volt source. At this point you are tapping into the universal source of endless energy. There is a simple circuit diagram in the attached file. I have the parts and can help you get it out. You already have all the required parts as does most everyone else.

Regards, DS
03-14-2004

Brace,

Wire out 6, 7 and 8 and connect the diode bridge where #6 was. Number one is a t-titanium battery with half life of 11 years, small size. The output appears to be pulsating DC but is actually high frequency which requires the 111 switched light bulbs.

Regards, DS
03-05-2004

Brace,

The plasma tube derives dipole with the capacitor plates at right angle get's pre stressed after 45,000 times the input. The energy has to be already there to be effective. The plasma tube is a high voltage source, 12,000 Volt. The energy is derived from the ambient, is high frequency, use a slide bridge with the negative plate 4 & 5 and the positive plate 6 & 7. The energy is derived from the ambient. The source of endless energy, I successfully built the device here described. The operation is very useful.

Regards, D.S.
03-02-2004

A series of e-mails from Don Smith to Bruce Perreault, containing instructions on how to simplify one of his best-known circuits.

After completing the changes, what results is the “Ambient Energy Generator”.

Emphasis on the fact that the circuit must be
OPEN.

Presentation 2 above (Energy is FREE...) shows how the circuit is transformed.

https://archive.org/details/DonSmiths2004EMailsToBrucePerreault_201905

BÜCHERER LE BLOG | WILHELM LE BLOG | Bay subsci...

Coder on blog | Connection

TESLA PATENTS MADE SIMPLE

A PICK FROM SEVERAL HUNDRED PATENTS ISSUED TO NICOLA TESLA, WHICH DESCRIBE THE PRINCIPLES OF HIS INVENTIONS AND THE WORKING PRINCIPLES INVOLVED. I AM NOT A PROFESSIONAL ENGINEER, BUT RATHER A HAPPY AMATEUR. ALSO ENGLISH IS NOT MY FIRST LANGUAGE SO ANY COMPLAINTS ARE AS BAD AS A WASTE OF TIME

[1]

WEDNESDAY, FEBRUARY 28, 2007

Battery operated tesalaci

because it describes how to make sense, but it shows the circuit that can be used to the different subjects of the system, the same idea are present in other patents as well, for example tesla's electrical igniter for gas engines.

Basic operation for a battery-operated tesalaci

This is a portable, lightweight and simple system. It is a low voltage battery operated device, with of course many different frequencies. The battery is connected to the primary coil and the transformer to operate. Now, this particular setup uses an electric motor for both generating the high voltage and to power the fan that blows through the duct that contains the coils. Only a few very reliable parts are used to replace that unit.

- one large induction coil with many turns of fine wire
- one battery
- one switch
- one primary coil
- one motor coil
- circus breaker (switch)

Simplified sketch of the circuit above.

Reading the patent, I can see that the basic principle is not an absolute. At the first look I'm wondering what is going to get out of this thing! what does he mean when he says "it works" and "it is a tesalaci"? I have to wait a moment of time with a spark gap on the table and a large cap of cells in your hand, and then you will understand... (I think, I think, I think again you will understand eventually...) (think :)

Answers as I struggled to understand how these inventions of him worked, I have to make a few drawings and to make a few experiments. Twisting and turning them to get them more the today's layouts. Also removing relevant parts to understand the working basis. So here is a sketch of the details above is my interpretation.

The sketch in the patent is generated by the computer. When you press the switch ON, the primary ignites and generates a high voltage. The spark gap (SG) is connected to the antenna (A).

switch the primary coil (P) on and out, what happens is that when the switch is ON, current flows through the primary coil (P) and the primary coil (P) back to the battery. At this stage the capacitor (C) is charged. When the switch is OFF, the current flow is like in 1921. The resistance from the two coils EF and MN is decreased. The current is increased. The current is increased so that the switch opens and is in OFF position. No current can go through the primary coil, it is off. The current is increased on the other hand the current is increased in a helical way. They where carrying a current, and suddenly the path is broken. The coil "salaci" is connected to the antenna. The current is increased to continue and the way it does it is that in the potential over the primary coil (P) is increased. The current is increased from near to zero (if that is our battery subject to many several hundred ohms) to a high voltage. The question is how high the voltage will be, how high the voltage is applied to the antenna. The question is how high the voltage will be. The cap needs to be a very strong one.

Now let's assume that the cap is just about fully charged to say 1000V. The current then drops again because there is no self-inductance. And the current is zero. The current is zero. You have a charged up capacitor setting in the middle of the two coils. The question is how high the voltage will be. The question is how high the voltage will be. (if that is our battery subject to many several hundred ohms) To the switch wasn't that think. There is a high voltage. The question is how high the voltage will be. The question is how high the voltage spike will be. If we look the voltage is applied to the antenna. The question is how high the voltage will be. The cap needs to be a very strong one.

Of course there will be a FAST discharge, but the idea is to use the primary coil as a capacitor. The question is how much current that the potential reaching the output of the secondary is. (HULL) assuming that there is a few hundred thousands of turns up to over a million with.

The frequency of the primary coils must match the secondary side. In order to do this, the primary coil must have the same frequency as the N and P, where P is the capacitor. The question is how much current that the potential reaches the secondary plates, when off and off they all have a certain capacity.

This is first draft article. It might be edited later.

lens

LINKS

Letters, Articles & Patents
Tesla's Patent List - FREDWIK

BLOG ARCHIVE

▼ 2007 (1)
▼ February (1)
Battery operated tesalaci

ABOUT ME

LARS

VIEW MY COMPLETE PROFILE

A 2007 blogpost that insightfully examines Nikola Tesla's Ozone Machine Patent.

Underscores the application of Tesla's disruptive discharge technique, which helps obtain


the most power
from
a given amount of energy.

While the formula that appears in Persson's post is in error, he nevertheless is absolutely correct in the interpretation he develops of the process that takes place, and he provides a clear, modern-style schematic of the circuit.

Persson is also smart enough to point out that he isn't a professional engineer, and that the post is only a first draft, which may be edited in the future.

The correct formula, by the way, is **power equals voltage squared over resistance**

<https://archive.org/details/TeslaOzoneMachinePatent-LarsPersson>



An Answer to America's Energy Deficit

Fifth Edition

Donald L. Smith, CEO
TransWorld Energy
8110 Bent Oak Lane
Spring, Texas 77379
Fax (281) 370-4911

One of
only a few original publications by
Donald Lee Smith,
in which he explains his theories,
and discusses some of the devices
he designed and built.

5th Edition, 1997.

https://archive.org/details/AnAnswerToAmericaSEnergyDeficit5thEditionJanuary1997_201905

A word of thanks,

and a warm farewell, to all who took an interest in this project over the years.

As of late July, 2019, the UDMT sees the work it set out to accomplish – an all-encompassing interpretation of Mr Smith and his work, backed up by references, examples and illustrations to the best of the team's ability – as substantially complete.

While there is no doubt in the team's mind that the interpretation put forward is accurate and correct, a deliberate option was taken to present much of it in the form of hypothetical statements, made freely available for individuals or groups perusing the materials to evaluate and potentially put to the test as they see fit. In their own good time, and – strictly – at their own risk.

Any such groups or individuals wishing to offer constructive comments or feedback — as well as any persons seeking to link up with other interested parties to produce translations of the materials into languages other than the original, or to jointly attempt replications of the devices — are welcome to communicate via

uncledonteam AT protonmail DOT com

Please be aware that this e-mail address is not being provided by the UDMT as such — which assembled itself on an ad-hoc basis for the task at hand, and is now effectively disbanded — but rather by an individual enthusiast, who will undertake to manage it, as a volunteer. Regrettably, this also means that no guarantee, other than best efforts, can be offered of an accurate, timely, or complete response to messages received.

Additional note to this January 14, 2022 edited version of About EnerGenius Favorites by John the Volunteer.

I wish to take this opportunity to extend specific THANKS to the short number of kind souls who assigned **favorite** status to one or more of the files in this series, incorporating them in their respective Collections.

For reasons unknown (and rather unfathomable) our kind hosts have chosen to REMOVE all mention of these generous recommendations from the side-column on the repository, instead PROMINENTLY DISPLAYING completely MEANINGLESS jumbles of everything and nothing, known as “Community” collections. GO FIGURE!

I am listing the names / avatars from limited notes and memory, so please excuse me if you fail to be mentioned.

Nacionninka

jonhodg16

pere432

Garry Bledsoe

Fidel Silassie

Brian Bailey2184

plus one additional person whose avatar I can't recall but who I vaguely seem to remember is on pinterest as @sternenkoenigin (a recommended collection to visit)

THANKS again to ALL.